

# General Index

---

## General Index

The scope of this book can best be determined by the Contents on pages 4 and 5. The chapters and prime references are shown in bold face. Tables are indicated by T followed by chapter, table number and page number. (T 4.16, 118)  
(Corrections or suggestions are invited.)

### A

Aerial sewers 212-213  
Aircraft loads, minimum cover for  
    T7.17, 210, T7.18, 211, T7.19, 212,  
    T7.21, 213  
Alignment changes of CSP 268  
Allowable span, ariel sewers T7.22, 214  
Alternate designs and bids on pipe  
    235-238  
Annular CSP, description 7  
Antecedent Moisture Conditions  
    (AMC) 67  
Arch channels 17  
Arch (pipe-) elbow fittings, minimum  
    dimensions T1.15, 24  
Arches (pipe-) layout details T1.7, 13;  
    T1.8, 13  
Assembly of CSP field units 215-218

### B

Backfilling procedure 269-272  
Backwater analysis in hydraulic design  
    125-133  
Basins, maintenance on, 275-276  
Bend losses 113  
Bernoulli equation 91-92  
Blue-green storage 170  
Bucket line for cleanout 279

### C

Catch basin(s) 27  
    maintenance on 278  
    reinforcing 29  
    tops 28  
Chemical analyses 50  
Coatings 34  
Combination system 180-184  
Compressed air jet for cleanout  
    279-280  
Computer models 84, T3.8, 85, 157, 159  
Connectors 17-20  
**Construction, Chapter 10**, 253-273  
    plans in sewer excavation 253

Contents 4-5  
Conversion tables 289-296  
Corrosion  
    from soil 221  
    from soil vs. electrical resistivity  
        T8.1, 229  
Corrosiveness of soils T8.2, 230  
Corrugated Steel Pipe  
    annular 7  
    data 8-16  
    helical 7  
    sizes T1.1, 8  
Couplings systems 17-20  
Critical flow depth 93-97  
Curve numbers T3.6, 69

### D

Depression storage 64  
Depression (typical) T3.3, 65  
Depth of cover T7.6-T7.16, 202-209  
Design  
    and bids on pipe, alternate 235-238  
    of stormwater detention facilities  
        165-169  
**Structural, Chapter 7**, 193-219  
    techniques 179  
Detention pond design T6.1, 169  
Detention facilities 161-164  
Dewatering of trenches 261-263  
Dimensions  
    for elbows for round CSP T1.13, 22  
    for CSP pipe-arch elbow fittings  
        T1.15, 24  
    for CSP round fittings T1.14, 23  
Disclaimer 2  
Drain inlets, slotted 32  
Drainage  
    from **Storms, Chapter 2**, 37-53  
**Durability**  
    factors affecting 221-225  
    design 226-228  
**Chapter 8**, 221-231

**E**

- Elbows, dimensions, minimum T1.13, 22; T1.15, 24  
 Energy loss  
   in hydraulic design 95, 129-131  
   solution T5.1, 127  
 Entrance loss 111  
   coefficient T4.15, 111  
**Environmental Considerations** 46-52  
 EPA regulations (proposed) T2.3, 50  
 Excavation of trenches 255-262  
 Exfiltration  
   analysis 185  
   calculations 185-186

**F**

- Field joints 17-20, 216-218  
 Field layout, alignments and installation 264-267  
 Field test 177-179  
 Fire hosing flushing for cleanout 280  
 Fittings 21  
 Fittings and sewer appurtenances, CSP 21  
 Flooding 89  
 Flow regulators 170  
 Form losses in junctions, bends and other structures 108-113  
 Foundation drains 44-46, 157  
   collector design sheet T5.10, 158  
   in a major/minor system 155-157  
 Friction losses 101-105  
   equation 105-106

**G**

- Gaskets 17-19, T1.12, 17  
 General Tables 297-298  
 Ground water  
   monitoring 52  
   quality process 48-51

**H**

- Handling weight of CSPT1.2-1.5, 8-11  
 Helical CSP, description of 7  
 Highway  
   live loads T7.3, 199  
   loadings 193

**Hydraulics**

- alternatives, methods for determining 134-138  
 calculations T5.2, 128; T5.7, 152  
 jump 108  
 properties of conduits T4.2 - T4.7, 99-100  
**Of Storm Sewers, Chapter 4**  
 89-123  
 Hydrograph method of stormwater detention 165-169  
**Hydrology, Chapter 3** 55-87

**I**

- Indirect method of soil investigation and infiltration tests 179  
 Infiltration 43  
   basins 172  
   systems, maintenance on 275-278  
   trench 172-173  
 Interior coatings  
   storm sewers 226

**J**

- Joint  
   properties 217-218  
   types 217

**K**

- Kutter equation 102-105

**L**

- Layout  
   details for CSP pipe-arches T.17-1.8, 13  
   details for structural plate pipe-arches T1.9-1.10, 14-15  
 Lead contamination 48  
 Linear recharge system 179  
 Live loads, highway and railway T7.3, 199  
 Loadings in structural design 193  
 Loss of head T4.12-T.4.14, 110-111

**M**

- Maintenance, Chapter 11** 275-287  
 Major drainage system 37; 39  
   of storm drainage facilities 139-140; 144-148

- Manhole  
junction losses 112
- Manhole(s) 27  
ladder 30  
reinforcing 29  
slip joints 29  
steps 31  
tops 28
- Manning Equation 101
- Materials  
descriptions and specifications T1.16, 35
- Metal contamination 48
- Minimum cover for aircraft loads T7.17-T7.19, 210-212
- Minor system of storm drainage facilities 37, 39, 139, 142
- Moment  
of inertia and cross-sectional area T7.4, 199  
strength 217
- P**
- Pavings 34
- Perforated pipe 11  
in recharge trenches 190
- Permeability coefficients T6.2, 177
- Pipe-arches 197  
elbow fittings T1.15, 24  
sizes and layout details T1.7-T1.8, 13
- Pipe backfill 191
- Planning of urban drainage systems 39
- Point source and recharge system 179-180
- Pollution and runoff 40-44
- Porous pavements and runoff 43
- Preface 3
- Products, Sewer, Steel, Chapter 1** 7-35
- Profiles of pipe T1.1, 8
- Protective coatings 226
- R**
- Railway  
live loads T7.3, 199  
loadings 193
- Rainfall  
estimation 56-57  
hyetographs 57-62  
intensities 57, 58  
intensity duration frequency T5.5, 145
- Rational method, limitations of 65
- Recharge trenches  
construction of 188-191
- References  
durability 230-231  
hydraulic design of storm sewers 159  
hydraulics of storm sewers 123  
hydrology 86-87  
maintenance and rehabilitation 287  
storm drainage planning 53  
stormwater detention and  
subsurface disposal 191  
structural design 218-219
- Reported maintenance practice 281
- Resistivity values (typical) T8.1, 229
- Retention  
systems 172-175  
wells 175
- Rooftop detention 163-164
- Roughness and friction formula  
coefficients T4.8, 101  
Manning's Equation 101
- Round fittings, dimensions  
minimum T1.14, 23
- Runoff  
coefficient 65-66; T3.4, 66  
curve numbers T3.5, 68  
estimation of 64-65  
quantity of, reduction of 40-44  
waters, environmental  
considerations 46-52
- S**
- Saddle branches 25
- Sewer  
appurtenances 21-31  
design (storm) preliminary T5.6, 150  
installation 253-273  
jet flushers 280-281
- Products, Steel, Chapter 1** 7-35
- Shapes of CSP T1.1, 8
- Shear strength 217
- Sizes of CSP T1.1, 8; T1.2-T1.6, 8-12
- Slip joints, manhole 29
- Slotted drain inlets 32
- Soil  
cohesive vs. cohesionless 258-259  
conditions 217  
investigation infiltration tests 176-177  
tightness 217

- 
- Stable slope angles for various cohesionless materials T10.1, 259
- Steel Sewer Products, Chapter 1** 7-35
- Stiffness of pipes 195-196
- Storm Drainage Planning, Chapter 2**  
37-53  
facilities, design of 139-159  
facilities, layout of 139
- Storm Sewers,**  
**Hydraulic Design of, Chapter 5**  
125-159
- Stormwater Detention and Subsurface Disposal, Chapter 6**  
161-191
- Stormwater  
detention facilities 161-163  
detention facilities, design of 165-169  
inlets, hydraulics of 113-122  
management 38  
Strength considerations in structural design 194-195
- Structural Design, Chapter 7,**  
193-219  
for CSP field joints 214-218
- Structural plate  
arches, representative sizes T1.11, 16  
pipe-arches, sizes and layout details  
T1.10, 15  
pipe description 7
- Subsurface soil information 253
- Surface detention 161
- Surface infiltration and runoff 43
- Surface water profiles in hydraulic design 106-107
- Surging and pumping for cleanout 280
- Synthetic filter fabrics 191
- U**
- Underground  
conduits, moment of inertia and cross-sectional area T7.4, 199  
construction 267-268  
detention 161
- Unit hydrograph  
determination 77-78  
methods of S.C.S. 79-80  
rectangular 80-81
- V**
- Vacuum pumps for cleanout 279
- Value Engineering and Least Cost Analysis, Chapter 9** 233-251
- Volume reduction measures T2.1, 41
- W**
- Wastewater  
treatment 46-48
- Waterjet spray for cleanout 279
- Water quality  
effects of runoff on 44  
process (ground) 48-51
- Watertightness 218
- Waterway areas for standard sizes of CSP T4.1, 98
- Weight of CSP T1.2-T1.5, 8-11
- Wells, maintenance of 276-278
- T**
- Testing joint tightness 264
- Thickness of pipe T1.1, 8
- Time of concentration 73-74
- Transitions 26  
losses (open channel) 109  
losses (pressure flow) 109-111
- Trench  
construction in noncohesive soil or sand 188  
construction in permeable rock and/or stable soil 188  
dewatering 261-262  
excavation 255-260  
maintenance 276
- Z**
- Zero increase in stormwater runoff 38

